

[howto](#), [dns](#), [dnsserver](#), [reverse](#), [reversedns](#), [soa](#), [dig](#), [dnstracer](#)

How to find the Authoritative Reverse DNS Server for a specific IP Address

- [dig\(1\) - Linux man page](#)
- [Server Fault - How to check name servers for reverse DNS](#)

The "dig" Way

If “digging” for a reverse name yields a cached response... e.g. the following command returns “p50939d12.dip0.t-ipconnect.de.” as the reverse host name:

```
dig -x 80.147.157.18
```

```
; <<>> DiG 9.18.20 <<>> -x 80.147.157.18
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 42447
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1424
;; QUESTION SECTION:
;18.157.147.80.in-addr.arpa.      IN      PTR

;; ANSWER SECTION:
18.157.147.80.in-addr.arpa. 84065 IN      PTR      p50939d12.dip0.t-ipconnect.de.

;; Query time: 0 msec
;; SERVER: 192.168.1.1#53(192.168.1.1) (UDP)
;; WHEN: Thu Dec 28 14:53:53 CET 2023
;; MSG SIZE rcvd: 98
```

Get the authoritative DNS server for the address with the following command:

```
dig -t SOA 18.157.147.80.in-addr.arpa
```

```
; <<>> DiG 9.18.20 <<>> -t SOA 18.157.147.80.in-addr.arpa
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 44130
;; flags: qr rd ra; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1424
;; QUESTION SECTION:
;18.157.147.80.in-addr.arpa.      IN      SOA

;; AUTHORITY SECTION:
157.147.80.in-addr.arpa. 3600 IN      SOA      pns.dtag.de. dns.telekom.de. 2023122801 86400 7200
3600000 3600

;; Query time: 833 msec
;; SERVER: 192.168.1.1#53(192.168.1.1) (UDP)
;; WHEN: Thu Dec 28 16:11:51 CET 2023
;; MSG SIZE rcvd: 114
```

Now you can direct dig to query the authoritative DNS server for the ip address:

```
dig @pns.dtag.de -x 80.147.157.18
```

```
; <<>> DiG 9.18.20 <<>> @pns.dtag.de -x 80.147.157.18
; (2 servers found)
;; global options: +cmd
;; Got answer:
;; ->HEADER<- opcode: QUERY, status: NOERROR, id: 5399
;; flags: qr aa rd; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1
;; WARNING: recursion requested but not available

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1232
; COOKIE: 90230e600a10e52801000000658d907ced5542dfef8f1c5e (good)
;; QUESTION SECTION:
;18.157.147.80.in-addr.arpa.      IN      PTR

;; ANSWER SECTION:
18.157.147.80.in-addr.arpa. 86400 IN      PTR      vm100.wiretrip.de.

;; Query time: 13 msec
;; SERVER: 2003:40:8000::100#53(pns.dtag.de) (UDP)
;; WHEN: Thu Dec 28 16:13:00 CET 2023
;; MSG SIZE rcvd: 114
```

The "dig" way - but shorter

```
dig +trace 18.157.147.80.in-addr.arpa
```

```
; <<>> DiG 9.18.20 <<>> +trace 18.157.147.80.in-addr.arpa
;; global options: +cmd
.                73231    IN      NS      l.root-servers.net.
.                73231    IN      NS      k.root-servers.net.
.                73231    IN      NS      d.root-servers.net.
.                73231    IN      NS      j.root-servers.net.
.                73231    IN      NS      b.root-servers.net.
.                73231    IN      NS      h.root-servers.net.
.                73231    IN      NS      m.root-servers.net.
.                73231    IN      NS      c.root-servers.net.
.                73231    IN      NS      i.root-servers.net.
.                73231    IN      NS      f.root-servers.net.
.                73231    IN      NS      e.root-servers.net.
.                73231    IN      NS      a.root-servers.net.
.                73231    IN      NS      g.root-servers.net.
.                73231    IN      RRSIG   NS 8 0 518400 20240110050000 20231228040000 46780 .
gVDot5BWANDB49am5IR+xfHlMiVScOxWTSlyj313whf8Fpy7qT2POG0Y
1F0FBY4tYhT3bMZKMq56djzBAWlFl9Vg7m0I+vqvzR8+yit+C4YFYv/j
Vw4P0VGB0vEPjXPCR+4iPg2iAnMEYzILOsQ8/3jcPmhrLsw9JkVE+4lY
hJMsJvXGYHhgZThPwHqz88pFc7RYQ4GHXThP1nVUZ8GByuLiC9GnYfCj
SZYHjXCaskWuLDU08t/jNsMWfhEc+zg5TrSoDWIHu7TDB5YqRqqKzWSz
bNFaxJHTb2SbCKspakXVb5A+vSjmHVXM3uyr3lJ1zidsxZsDUYi/jsGB DiAGLg==
;; Received 525 bytes from 192.168.1.1#53(192.168.1.1) in 0 ms

in-addr.arpa.    172800 IN      NS      a.in-addr-servers.arpa.
in-addr.arpa.    172800 IN      NS      b.in-addr-servers.arpa.
in-addr.arpa.    172800 IN      NS      c.in-addr-servers.arpa.
in-addr.arpa.    172800 IN      NS      d.in-addr-servers.arpa.
in-addr.arpa.    172800 IN      NS      e.in-addr-servers.arpa.
in-addr.arpa.    172800 IN      NS      f.in-addr-servers.arpa.
in-addr.arpa.    86400   IN      DS      47054 8 2
5CAFCCEC201D1933B4C9F6A9C8F51E51F3B39979058AC21B8DF1B1F2 81CBC6F2
in-addr.arpa.    86400   IN      DS      53696 8 2
13E5501C56B20394DA921B51412D48B7089C5EB6957A7C58553C4D4D 424F04DF
in-addr.arpa.    86400   IN      DS      54956 8 2
E0E2BF5CFBD66572CA05EC18267D91509BA6A9405AF05C3FD4141DFA 45200C08
in-addr.arpa.    86400   IN      DS      63982 8 2
AAF4FB5D213EF25AE44679032EBE3514C487D7ABD99D7F5FEC3383D0 30733C73
```

```

in-addr.arpa.      86400   IN      RRSIG   DS 8 2 86400 20240110060000 20231228050000 46174 arpa.
2LW6tpW78yMDloyQ+gFayWeuIRsGYtFosSmILBmviIozJIHV2gAAZdyX
kJKoTA6ShAWxr/v2ASTgTqWoK42veZkBLFqOvgRDDR8XKnTZJNEim8/0
6XxvQ50wS3H81zuy1lRrYNwZWH5lT+IcsV2bD3NYJd/jwPvdE1ToT3TE
T9LMFrxDcRPzivqpaeeV2Kz1YMe1f5CSLD37Tg5N3v99iBEB0UAPLxy
vS68J5u2DSLf4agmPfQ4kdJL94Z0IevGTiB7ldQvjauhNSR+Zp+xxGG7
C+ZNLfCgJJ6nTVrpbLReFhs/W4zRRBfxqyUXrcTy28kmBTcx67tN+FU ezHhTQ==
;; Received 915 bytes from 199.7.83.42#53(l.root-servers.net) in 23 ms

80.in-addr.arpa.   86400   IN      NS      ns4.apnic.net.
80.in-addr.arpa.   86400   IN      NS      rirns.arin.net.
80.in-addr.arpa.   86400   IN      NS      pri.authdns.ripe.net.
80.in-addr.arpa.   86400   IN      NS      ns3.afrinic.net.
80.in-addr.arpa.   86400   IN      NS      ns3.lacnic.net.
80.in-addr.arpa.   86400   IN      DS      34690 13 2
908FB0DEF1C977D145263A4BDA7CBE4C4ECD8FA0FE7BBCB20777B721 D4D8FDD7
80.in-addr.arpa.   86400   IN      RRSIG   DS 8 3 86400 20240108055519 20231218164435 35160 in-
addr.arpa. PsimM/+LLxa3JLo/NSuYp14pV7I1tRj1MmIjbnQY21b7nPodkPAWAFcI
l1lQFyiN2QoyVB5MzTS/wBytYCrLXF013EKH+u0JbmUvr04ZLmEc0qv0
hFuM8WANT60VkIyq/Vt1wETyRD6lVpoA4XbYpbon1ngd8n5gAT0gQa3U e6Y=
;; Received 464 bytes from 199.180.182.53#53(a.in-addr-servers.arpa) in 149 ms

157.147.80.in-addr.arpa. 172800 IN      NS      pns.dtag.de.
157.147.80.in-addr.arpa. 172800 IN      NS      secondary007.dtag.net.
;; Received 115 bytes from 193.0.9.5#53(pri.authdns.ripe.net) in 19 ms

157.147.80.in-addr.arpa. 3600    IN      SOA      pns.dtag.de. dns.telekom.de. 2023122801 86400 7200
3600000 3600
;; Received 144 bytes from 2003:40:8000::100#53(pns.dtag.de) in 9 ms

```

dnstracer

- [dnstracer\(8\) - Linux man page](#)
- [How to - DNSTracer in Kali Linux 2.0](#)

```
dnstracer -4 -s A.ROOT-SERVERS.NET 18.157.147.80.in-addr.arpa
```

```

Tracing to 18.157.147.80.in-addr.arpa[a] via A.ROOT-SERVERS.NET, maximum of 3 retries
A.ROOT-SERVERS.NET (198.41.0.4)
| \__ a.in-addr-servers.arpa [in-addr.arpa] (2620:0037:e000:0000:0000:0000:0000:0053) Not queried
| \__ a.in-addr-servers.arpa [in-addr.arpa] (199.180.182.53)
|   | \__ ns3.afrinic.net [80.in-addr.arpa] (204.61.216.100)
|   |   | \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|   |   | \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|   |   | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|   |   | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|   |   | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|   |   | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|   |   | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|   |   | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|   |   | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
|   |   | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
|   |   | \__ ns3.afrinic.net [80.in-addr.arpa] (2001:0500:0014:6100:00ad:0000:0000:0001) Not queried
|   |   | \__ rirns.arin.net [80.in-addr.arpa] (199.253.249.53)
|   |   | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|   |   | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|   |   | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|   |   |   | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|   |   |   | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried

```

```
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
| | | \__ rirns.arin.net [80.in-addr.arpa] (2620:0038:2000:0000:0000:0000:0000:0053) Not queried
| | | \__ ns3.lacnic.net [80.in-addr.arpa] (200.3.13.14)
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
| | | \__ ns3.lacnic.net [80.in-addr.arpa] (2001:13c7:7002:3000:0000:0000:0000:0014) Not queried
| | | \__ ns4.apnic.net [80.in-addr.arpa] (202.12.31.53)
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
| | | \__ ns4.apnic.net [80.in-addr.arpa] (2001:0dd8:0012:0000:0000:0000:0000:0053) Not queried
| | | \__ pri.authdns.ripe.net [80.in-addr.arpa] (193.0.9.5)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
| | | \__ pri.authdns.ripe.net [80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0005) Not
queried
| | | \__ b.in-addr-servers.arpa [in-addr.arpa] (2001:0500:0087:0000:0000:0000:0000:0087) Not queried
| | | \__ b.in-addr-servers.arpa [in-addr.arpa] (199.253.183.183)
| | | \__ rirns.arin.net [80.in-addr.arpa] (199.253.249.53)
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
```

```
| | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100) Not
queried
| | \__ rirns.arin.net [80.in-addr.arpa] (2620:0038:2000:0000:0000:0000:0053) Not queried
| | \__ pri.authdns.ripe.net [80.in-addr.arpa] (193.0.9.5)
| | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100) Not
queried
| | \__ pri.authdns.ripe.net [80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0005) Not
queried
| | \__ ns4.apnic.net [80.in-addr.arpa] (202.12.31.53)
| | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
| | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100) Not
queried
| | \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
| | \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
| | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
| | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100)
Not queried
| | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0006) Not
queried
| | \__ ns4.apnic.net [80.in-addr.arpa] (2001:0dd8:0012:0000:0000:0000:0053) Not queried
| | \__ ns3.afrinic.net [80.in-addr.arpa] (204.61.216.100)
| | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
| | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100) Not
queried
| | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
| | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100)
Not queried
| | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0006) Not
queried
| | \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
| | \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
| | \__ ns3.afrinic.net [80.in-addr.arpa] (2001:0500:0014:6100:00ad:0000:0000:0001) Not queried
| | \__ ns3.lacnic.net [80.in-addr.arpa] (200.3.13.14)
| | \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
| | \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
| | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
| | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100) Not
queried
| | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
| | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100)
Not queried
| | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0006) Not
queried
| | \__ ns3.lacnic.net [80.in-addr.arpa] (2001:13c7:7002:3000:0000:0000:0000:0014) Not queried
| | \__ c.in-addr-servers.arpa [in-addr.arpa] (2001:43f8:0110:0000:0000:0000:0010) Not queried
| | \__ c.in-addr-servers.arpa [in-addr.arpa] (196.216.169.10)
| | \__ rirns.arin.net [80.in-addr.arpa] (199.253.249.53)
| | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
| | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
```

```
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100)
Not queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0006) Not
queried
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100) Not
queried
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
| | | \__ rirns.arin.net [80.in-addr.arpa] (2620:0038:2000:0000:0000:0000:0053) Not queried
| | | \__ pri.authdns.ripe.net [80.in-addr.arpa] (193.0.9.5)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100) Not
queried
| | | \__ pri.authdns.ripe.net [80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0005) Not
queried
| | | \__ ns4.apnic.net [80.in-addr.arpa] (202.12.31.53)
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100)
Not queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0006) Not
queried
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100) Not
queried
| | | \__ ns4.apnic.net [80.in-addr.arpa] (2001:0dd8:0012:0000:0000:0000:0053) Not queried
| | | \__ ns3.afrinic.net [80.in-addr.arpa] (204.61.216.100)
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100) Not
queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100)
Not queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0006) Not
queried
| | | \__ ns3.afrinic.net [80.in-addr.arpa] (2001:0500:0014:6100:00ad:0000:0000:0001) Not queried
| | | \__ ns3.lacnic.net [80.in-addr.arpa] (200.3.13.14)
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100) Not
queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
| | | \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
| | | \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100)
Not queried
| | | \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0006) Not
queried
```

```

|          \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|          \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|          \__ ns3.lacnic.net [80.in-addr.arpa] (2001:13c7:7002:3000:0000:0000:0000:0014) Not queried
|\__ d.in-addr-servers.arpa [in-addr.arpa] (2001:13c7:7010:0000:0000:0000:0000:0053) Not queried
|\__ d.in-addr-servers.arpa [in-addr.arpa] (200.10.60.53)
|          \__ ns4.apnic.net [80.in-addr.arpa] (202.12.31.53)
|          \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|          \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|          \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|          \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|          \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|          \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|          \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|          \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|          \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
|          \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
|          \__ ns4.apnic.net [80.in-addr.arpa] (2001:0dd8:0012:0000:0000:0000:0000:0053) Not queried
|          \__ ns3.lacnic.net [80.in-addr.arpa] (200.3.13.14)
|          \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|          \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|          \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|          \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|          \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
|          \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
|          \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|          \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|          \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|          \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|          \__ ns3.lacnic.net [80.in-addr.arpa] (2001:13c7:7002:3000:0000:0000:0000:0014) Not queried
|          \__ pri.authdns.ripe.net [80.in-addr.arpa] (193.0.9.5)
|          \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|          \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|          \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|          \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|          \__ pri.authdns.ripe.net [80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0005) Not
queried
|          \__ rirns.arin.net [80.in-addr.arpa] (199.253.249.53)
|          \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|          \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|          \__ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|          \__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|          \__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
|          \__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
|          \__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|          \__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|          \__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|          \__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|          \__ rirns.arin.net [80.in-addr.arpa] (2620:0038:2000:0000:0000:0000:0000:0053) Not queried
|          \__ ns3.afrinic.net [80.in-addr.arpa] (204.61.216.100)
|          \__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|          \__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|          \__ secondary007.dtag.net [157.147.80.in-addr.arpa]

```

```
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|      |      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|      |      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
|      |      |\___ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
|      |      |\___ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|      |      |\___ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|      |      |      \___ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|      |      |      \___ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|      |      |      \___ ns3.afrinic.net [80.in-addr.arpa] (2001:0500:0014:6100:00ad:0000:0000:0001) Not queried
|\___ f.in-addr-servers.arpa [in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0001) Not queried
|\___ f.in-addr-servers.arpa [in-addr.arpa] (193.0.9.1)
|      |      |\___ rirns.arin.net [80.in-addr.arpa] (199.253.249.53)
|      |      |      |\___ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|      |      |      |\___ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|      |      |      |\___ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|      |      |      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|      |      |      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|      |      |      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|      |      |      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
|      |      |      |\___ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
|      |      |      |      \___ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|      |      |      |      \___ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|      |      |      |\___ rirns.arin.net [80.in-addr.arpa] (2620:0038:2000:0000:0000:0000:0000:0053) Not queried
|      |      |      |\___ pri.authdns.ripe.net [80.in-addr.arpa] (193.0.9.5)
|      |      |      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|      |      |      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|      |      |      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|      |      |      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|      |      |\___ pri.authdns.ripe.net [80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0005) Not
queried
|      |      |      |\___ ns4.apnic.net [80.in-addr.arpa] (202.12.31.53)
|      |      |      |      |\___ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|      |      |      |      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|      |      |      |      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|      |      |      |      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|      |      |      |      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
|      |      |      |      |\___ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
|      |      |      |      |      |\___ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|      |      |      |      |      |\___ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|      |      |      |      |      \___ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|      |      |      |      |      \___ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|      |      |      |\___ ns4.apnic.net [80.in-addr.arpa] (2001:0dd8:0012:0000:0000:0000:0000:0053) Not queried
|      |      |      |\___ ns3.afrinic.net [80.in-addr.arpa] (204.61.216.100)
|      |      |      |      |\___ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|      |      |      |      |\___ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|      |      |      |      |\___ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|      |      |      |      |\___ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|      |      |      |      \___ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|      |      |      |      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|      |      |      |      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa]
```

```
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0100)
Not queried
|      |      \___ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0006) Not
queried
|      |\___ ns3.afrinic.net [80.in-addr.arpa] (2001:0500:0014:6100:00ad:0000:0000:0001) Not queried
|      |\___ ns3.lacnic.net [80.in-addr.arpa] (200.3.13.14)
|      |\___ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|      |\___ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|      |\___ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
|      |\___ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
|      |      \___ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|      |      \___ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|      |\___ ns3.lacnic.net [80.in-addr.arpa] (2001:13c7:7002:3000:0000:0000:0000:0014) Not queried
|\___ e.in-addr-servers.arpa [in-addr.arpa] (2001:0dd8:0006:0000:0000:0000:0000:0101) Not queried
|\___ e.in-addr-servers.arpa [in-addr.arpa] (203.119.86.101)
|\___ rirns.arin.net [80.in-addr.arpa] (199.253.249.53)
|\___ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|\___ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|      |\___ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|      |\___ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|      |      \___ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
|      |      \___ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
|\___ rirns.arin.net [80.in-addr.arpa] (2620:0038:2000:0000:0000:0000:0000:0053) Not queried
|\___ ns3.afrinic.net [80.in-addr.arpa] (204.61.216.100)
|\___ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
|\___ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried
|      |\___ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
|      |\___ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried
|      |      \___ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|      |      |\___ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
|      |      \___ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
|\___ ns3.afrinic.net [80.in-addr.arpa] (2001:0500:0014:6100:00ad:0000:0000:0001) Not queried
|\___ ns4.apnic.net [80.in-addr.arpa] (202.12.31.53)
|\___ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
|\___ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
|\___ secondary007.dtag.net [157.147.80.in-addr.arpa]
(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
|      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
|      |      \___ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried
|      |\___ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried
```

		__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
		__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried		__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
		__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried		__ ns4.apnic.net [80.in-addr.arpa] (2001:0dd8:0012:0000:0000:0000:0000:0053) Not queried
		__ pri.authdns.ripe.net [80.in-addr.arpa] (193.0.9.5)
		__ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
		__ secondary007.dtag.net [157.147.80.in-addr.arpa]
		(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
		__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
		__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried		__ pri.authdns.ripe.net [80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0005) Not
queried		__ ns3.lacnic.net [80.in-addr.arpa] (200.3.13.14)
		__ ns.ripe.net [147.80.in-addr.arpa] (193.0.9.6)
		__ __ secondary007.dtag.net [157.147.80.in-addr.arpa] (195.244.245.24)
		__ __ secondary007.dtag.net [157.147.80.in-addr.arpa]
		(2a00:0fa8:0003:0000:0100:0000:0007:0001) Not queried
		__ pns.dtag.de [157.147.80.in-addr.arpa] (194.25.0.125)
		__ pns.dtag.de [157.147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100)
Not queried		__ ns.ripe.net [147.80.in-addr.arpa] (2001:067c:00e0:0000:0000:0000:0000:0006) Not
queried		__ secondary007.dtag.net [147.80.in-addr.arpa] (195.244.245.24)
		__ secondary007.dtag.net [147.80.in-addr.arpa] (2a00:0fa8:0003:0000:0100:0000:0007:0001)
Not queried		__ pns.dtag.de [147.80.in-addr.arpa] (194.25.0.125)
		__ pns.dtag.de [147.80.in-addr.arpa] (2003:0040:8000:0000:0000:0000:0000:0100) Not
queried		__ ns3.lacnic.net [80.in-addr.arpa] (2001:13c7:7002:3000:0000:0000:0000:0014) Not queried

~~DISCUSSION~~

From:
<https://wiki.nanoscopic.de/> - nanoscopic wiki

Permanent link:
<https://wiki.nanoscopic.de/doku.php/pages/howtos/dns/find-reverse-soa-for-ip-address?rev=1703778361>

Last update: 2023/12/28 15:46

