

~~DISCUSSION:off~~



## nanoscopic wiki

Hi there,

[My blog: nanoscopic.de](https://nanoscopic.de)

I'm [Heiko Mischer](#). This is my personal [wiki](#). It's purpose is to avoid [My repositories at Codeberg](#) the hassles of editing and displaying code with WordPress. I am planning to migrate content from [nanoscopic](#) over here (if I will find the time).

I will document scripts, configurations and all kinds of IT stuff here to give a little back to the [open source](#) projects I benefit from, as I did on [nanoscopic](#) before. For example [debian](#), [openSUSE](#), [pfSense](#), [monit](#).

---

## Pages

- [Bookmarks](#)
- [Cheatsheets](#)
  - [3Ware tw\\_cli Cheat Sheet](#)
  - [Networking](#)
  - [Requirements Elicitation](#)
  - [tmux](#)
  - [vi](#)
- [Events](#)
- [Files](#)
  - [Hettis Hacking Schummelzettel](#)
- [Games](#)
  - [back 4 blood](#)
  - [bitburner](#)
  - [Cookie Clicker](#)
  - [EMBR](#)
  - [Flare](#)
  - [Hacknet](#)
  - [Hacknet](#)
  - [mindustry](#)
  - [Open Source Linux Games](#)
  - [Sea of Thieves](#)
  - [Smithworks](#)
  - [Starship Troopers Extermination](#)
  - [Void Crew](#)
- [HowTos](#)
  - [AIX](#)
    - [AIX - Ist ein System Teil eines Clusters?](#)
    - [AIX - User anlegen und löschen](#)
    - [AIX /etc/fstab /etc/filesystems](#)

- [Allerlei](#)
- [ansible](#)
  - [Ansible Through Bastion Host](#)
  - [Usage of Ansible for Continuous Configuration Management](#)
- [Anydesk](#)
  - [Anydesk Command Line Interface](#)
- [Apache](#)
  - [Apache Hardening](#)
- [bash](#)
  - [bash - aliases](#)
  - [Working with Bash Keyboard Shortcuts](#)
  - [Bash - Command Line Tricks](#)
  - [Confusion With File Redirection And sudo](#)
  - [fancy bash prompt](#)
  - [I/O Redirection](#)
  - [Bash process substitution](#)
  - [bash - scripting templates](#)
  - [bash - Writing Robust Bash Shell Scripts](#)
- [Chrome HowTos](#)
  - [Chrome/Chromium not displaying text or images](#)
- [Debian GNU/Linux](#)
  - [Using an Apple Superdrive with Debian](#)
  - [automount CIFS share with autofs](#)
  - [Debian - Brother MFC-L3750CDW](#)
  - [Debian Basic Setup](#)
  - [Find Out If A Package Is Installed](#)
  - [Debian - Google Chrome](#)
  - [Debian - x2go](#)
  - [Install/Configure dropbear for remote unlocking encrypted root/swap-file-systems functionality](#)
  - [How To Install Video DownloadHelper with Coapp on Debian based Distributions](#)
  - [console.knsrc not found](#)
  - [How To Build and Run your own SuperTuxKart Server On Debian 11](#)
  - [Debian update bullseye to bookworm](#)
- [Diagnose](#)
  - [Check HSTS Header](#)
  - [Finding out about package dependencies in Debian](#)
  - [Diagnose 101](#)
  - [How to Diagnose DNS and RDNS with DIG](#)
  - [Linux Diagnosis and Monitoring Tools](#)
- [DNS](#)
  - [How to find the Authoritative Reverse DNS Server for a specific IP Address](#)
  - [Various DNS Stuff](#)
- [Dokuwiki](#)
  - [DokuWiki to Markdown Plugin](#)
- [Eclipse](#)
  - [Configure Eclipse SSL Trust Store](#)
- [Fedora](#)
  - [How To Build and Run your own SuperTuxKart Server On Fedora 35](#)
- [friendica](#)
  - [friendica manual install with basic security](#)
- [IT Utilities](#)
  - [ventoy](#)
- [THIS IS JUST A TEMPLATE](#)
- [keepass](#)
  - [KeePassOTP, openSUSE Tumbleweed, KeePass \(mono\)](#)
  - [Where To Put KeePass Plugins Under Linux \(Mono\)](#)
- [General Linux / Unix](#)
  - [How to find out if I am using wayland or X11?](#)
  - [clone a HDD](#)
  - [determine connection source hosts](#)
  - [Find Biggest Files](#)
  - [find information about commands](#)
  - [find out how long your workstation is rolling](#)
  - [determine the partition table type](#)
  - [Flatpak](#)
  - [How to find stuff](#)
  - [rsync](#)
  - [Adjust Screen Brightness](#)
  - [tr](#)
- [E-Mail Server](#)

- DMARC
  - **M/Monit & monit**
    - monitoring a host
    - Monitoring turn & stun server
    - Monitor Nextcloud Updates
  - **MySQL**
    - How To Get The Size Of A Table In MySQL
    - Wie man einen MySQL Table repariert
  - **Networking**
    - Finding the correct path MTU
  - **pfSense**
    - Install pfSense 2.6.0 Community Edition On PC Engines APU4D4
    - simple site to site VPN with pfSense and OpenVPN
  - pfsense-draytek-vigor165-telekom
  - **postfix**
    - Working With The Mailqueue
  - **Routen**
    - Routen hinzufügen entfernen
  - **SSH**
    - Generate SSH Key
    - Manage Via SSH Executable Commands
    - PuTTY-Konfiguration
    - Remote SSH Tunnel with autossh
    - SSH - check or kill master control process
    - Stronger SSH Key and keychain
  - **SSL**
    - check SSL certificates and certificate chains
  - **SUSE**
    - Using an Apple SuperDrive with openSUSE Tumbleweed
    - automount CIFS share with autofs
    - Update Draw.io On openSUSE Tumbleweed
    - Install Citrix Workspace
    - (Semiautomated) Install Eclipse IDE on OpenSUSE Tumbleweed
    - SUSE install vulkan
    - OpenSUSE Basic Setup
    - Prevent A Package Getting Reinstalled
    - SLES xrdp/RDP howto
    - SUSE Tumbleweed - Fix Name Resolution Not Working After Update
    - Keeping Multiple Kernel Versions On openSUSE Tumbleweed
    - SUSE Open Build Service
    - Sysstat
    - Zypper Cheat-Sheet
  - **systemd**
    - Nextcloud Desktop as a user service with systemd
  - **tmux**
    - Running Updates In TMUX
  - **Ubiquiti**
  - **Vagrant**
    - create-custom-vagrant-box
  - **Visual Studio Code / codium**
  - **Windows**
    - Format external USB storage for windows
    - Jailbreak certmgr.msc to export user certificates
  - yt-dlp
- **man**
  - info
  - man
  - tw\_cli
- **manuals**
  - HP ProCurve 1800-8G
- **Scripts**
  - aov backup alix
  - aov-backup-kvmhost
  - apache22to24
  - ban-ip
  - bbustatus
  - build\_URL\_Table\_AnyDesk
  - chage-omfg
  - check-cron
  - check middleware to cman

- o [check-raid-status](#)
- o [Check Routes](#)
- o [cpu-temp](#)
- o [crontab](#)
- o [fail2ban-removeban](#)
- o [fileserv-er-backup](#)
- o [forcefsck\\_verteilen](#)
- o [hdd-temp](#)
- o [monitor-backup-everything](#)
- o [multitail-all-access-logs](#)
- o [pfSense-cluster-copy-logs-on-logrotate](#)
- o [postfixdeletemailsfromsasuser.pl](#)
- o [raidstatus](#)
- o [svndeluser](#)
- o [synergy-ctl](#)
- o [testtextrecord](#)
- o [UV - Check DNS](#)
- o [vmwin2k12r2-incrementalbackup](#)
- o [zertif](#)

## Tags

3ware(2) add(2) adjust(1) aix(5) akonadi(1) al(1) alias(1) ansible(2) anydesk(1) apache(3) apachetop(1) apple(2) apropos(1) apt(1) apt-cache(1) apu(1) apu1c4(1) apu4d4(1) architecture(1) asc(1) atop(1) authenticator(1) authorizedkeys(1) autofs(2) autossh(1) baloo(1) bandwidthd(1) bash(11) basic(2) bastion(1) bastionhost(1) bmon(1) bookworm(1) brightness(1) brightnessctl(1) brother(1) bsd(1) bullseye(1) button(1) buttons(1) cacti(1) cdrom(2) certificate(4) certificatechain(1) certmgrmsc(1) certutil(1) chain(1) cheatsheet(4) check(1) choria(1) chrome(3) chromium(1) cifs(2) citrix(1) cli(3) clone(1) clrginfo(1) cluster(1) cman(2) coapp(1) codium(1) collectl(1) column(1) command(1) commandlineediting(1) commands(1) config(1) configuration(1) conky(1) connection(1) continuous(1) control(1) controller(1) cookie(1) cookieclicker(1) copy(1) create(2) creativecommons(1) cups(1) d9vk(1) darkstat(1) dd(2) debian(13) defaultprofil(1) delete(2) delight(1) dependencies(1) determine(1) df(1) diagnose(2) diagnosis(1) dig(4) dkin(1) dmarc(1) dns(6) dnsserver(1) dnstracer(1) dokuwiki(1) dpkg(1) drawio(1) driver(1) dropbear(1) dstat(1) dvh(1) eclipse(2) ed25519(2) egrep(1) eject(2) email(2) emailserver(1) encryption(1) etcfilesystems(1) etcfstab(1) etherape(1) ethtool(1) expiration(1) export(2) external(1) eyecandy(1) fancy(1) faq(1) fat32(1) fedora(1) file(1) files(1) filesystem(3) filesystems(1) find(3) firefox(1) flare(1) flatpak(1) format(2) fping(1) free(1) friendica(1) ftop(1) game(8) games(1) generate(1) getconf(1) glances(1) goaccess(1) google(2) gpg(1) gpt(1) graphics(1) grep(1) hacking(1) hacknet(2) hardening(2) hdd(2) header(1) help(1) hetti(1) hiera(1) history(2) host(3) hostname(1) howto(96) hpprocurve18008g(1) hsts(1) http(1) http(1) https(1) icinga(1) icmp(1) icons(1) ide(1) iftop(1) imprint(1) incron(1) info(2) information(1) install(1) installed(2) io(1) ioredirection(1) iostat(2) iotop(1) ip(1) iptraf(1) iptstate(1) iputilstracepath(1) ipv4(1) ipv6(1) ispcfg(1) jailbreak(1) java(1) jerakia(1) jnettop(1) jumpserver(1) justniffer(1) kde(2) keep(1) keepass(3) keepassotp(1) kernel(1) key(3) keyboard(1) keychain(1) kill(1) konsoleksrc(1) ksysguard(1) leap(1) legal(3) libstatgrab(1) limit(1) linux(4) linuxprocessexplorer(1) list(1) locate(1) lock(1) loginctl(1) logwatch(1) loop(1) luks(1) mac(1) mailq(1) mailqueue(1) mailserver(1) man(4) manage(1) management(1) manual(1) mariadb(1) markdown(1) master(1) mbr(1) mcollective(1) mfc13750cdw(1) missing(1) mitm(1) mkfs(1) modification(1) modstatus(1) monit(4) monitoring(4) monitorix(1) mono(2) mount(2) mounting(2) mouseclick(1) mpstat(1) mrtg(1) msdos(2) mtr(1) mtu(1) multitail(2) multiversionkernel(1) munin(1) myisamchk(1) mysql(3) mysqldump(1) mytop(1) nagios(1) name(1) nameresolution(1) netatop(1) netconfig(1) nethogs(1) netsnmp(1) netstat(1) networking(1) nextcloud(2) nextclouddesktopclient(1) ngrep(1) nmap(1) nmon(1) nohup(1) ntopng(1) obs(1) open(1) openbuildservice(1) opennms(1) opensource(1) opensuse(2) openvpn(1) oracle(3) otp(1) package(3) packages(1) packetsize(1) parallelization(1) parted(2) partition(2) partitiontable(2) partitiontableformat(1) pathmtu(1) pc98(1) pcengines(2) pcp(1) pfsense(2) pin(1) ping(1) plugin(4) pmap(1) port(1) portknocking(1) postcat(1) postfix(2) postqueue(1) postsuper(1) powertop(1) prevent(1) printer(1) privacy\_policy(2) process(1) processorarchitecture(1) processsubstitution(1) procexp(1) proftpd(1) prompt(1) protocol(1) proxy(1) ps(1) puppet(1) putty(1) python(1) raid(2) raidcontroller(2) rdns(1) rdp(1) redirection(1) reinstalled(1) remotessh(1) remove(1) reparieren(1) resolution(1) restrict(1) retention(1) reverse(2) reversedns(1) robust(1) roundcube(1) route(2) rrdtool(1) rsa(2) rsync(1) saidar(1) samba(2) sane(1) sar(2) sarg(1) scanner(1) schummelzettel(1) screen(1) script(3) scripting(1) scripts(1) sdd(1) search(1) security(1) server(3) serverdensity(1) session(1) setup(2) sg3utils(2) shell(3) shortcut(1) sitetosite(1) size(2) sles(2) smb(2) smithworks(1) soa(1) sort(1) source(1) spf(2) squid(1) ss(1) ssh(7) sshkey(1) sshkeygen(1) ssl(4) stat(1) stderr(1) stdin(1) stdout(1) steam(1) storage(1) store(1) strings(1) stun(1) stunserver(1) substitution(1) sudo(2) sun(1) superdrive(2) supertuxkart(2) suse(17) svg(1) swatchdog(1) switch(1) sysstat(2) systemd(1) sysusage(1) table(3) tcpdump(1) tee(1) templates(1) test(1) timestamp(1) tipps(1) tmux(3) tools(3) top(1) tor(1) torproject(1) tr(2) tracepath(1) traceroute(2) traceroute6(1) tracert6(1) tricks(1) trust(1) tumbleweed(11) tunnel(1) turn(1) turnserver(1) tw\_cli(1) twcli(2) ubuntu(2) update(2) updates(2) uptime(1) usb(1) user(1) utmpdump(1) validate(1) vaults(1) ventoy(1) verify(1) versions(1) vfat(1) vi(1) videoconferencing(1) videodownloadhelper(1) vmstat(1) vnstat(1) vpn(2) vscode(1) vulkan(1) watch(1) wayland(1) whatis(1) windows(4) wine(1) wip(1) workspace(1) wtimp(1) x11(1) x2go(1) xargs(1) xrdp(1) xsane(1) xz(1) yes(1) ytdlp(1) zabbix(1) zenoss(1) zypper(2)

## Pages which need to be fixed

- [How-to-diagnose-dns-with-dig](#)

...

- [Linux-diagnosis-and-monitoring-tools](#)

...

- [Create-custom-vagrant-box](#)

From:

<https://wiki.nanoscopic.de/> - nanoscopic wiki

Permanent link:

<https://wiki.nanoscopic.de/doku.php/start?rev=1644202957>

Last update: **2022/02/07 03:02**

